

## **PATIENT INFORMATION**

# Following your Gastroscopy with Oesophageal banding or dilation

**Aftercare Sheet** 

# GASTROENTEROLOGY DEPARTMENT ENDOSCOPY AFTERCARE SHEET

### Following your Gastroscopy with Oesophageal banding or dilatation:

- You should only drink cool or tepid fluids for 24 hours following your procedure.
- You should consume a soft diet for 24 hrs following your procedure.
- You may experience a sore throat, this is quite normal and will subside within 24-48 hours.

### ☐ If you have had Fentanyl only:

- Do not drive a car or any other vehicle including bicycles for 24 hours; note that your insurance is invalid if you do so).
- Do not operate machinery or appliances such as cookers and kettles for 24 hours.

### ☐ If you have had Sedation:

- It is important that for the next 24-hours you have someone stay with you and to observe the following instructions:
- Sedation may make you feel drowsy later on and cause intermittent memory lapses.
- Do not drive a car or any other vehicle including bicycles; note that your insurance is invalid if you do so).
- Do not operate machinery or appliances such as cookers and kettles.
- Do not make important decisions or sign important documents.
- Do not drink any alcohol.

- Do not return to work whilst under the effects of the sedative.
- Do not lock the bathroom or toilet door or make yourself inaccessible to the person looking after you.
- Drink plenty of fluids and eat a light diet. Rest, do not undertake strenuous exercise or activities.
- After 24-hours, the effects of the sedation should have worn off and you should be able to resume normal activities.

Take things easy for the next 24-hours and if you have any problems:-

For **NON-URGENT** queries please contact the Endoscopy Department on **01803 654863** within the hours of 08:00-17:00 Monday to Friday.

For **URGENT** queries please contact 111 for advice.

If you experience <u>severe pain in your neck, chest or abdomen, fever, major bleeding</u>, in case of an emergency situation you should call 999 or go to your nearest Accident and Emergency Department. Please take a copy of your Endoscopy report with you.

This information can be offered in other accessible formats on request, including a language other than English.

For further assistance or to receive this information in a different format, please contact the department which created this leaflet.